


SK 1510	
SK 1515	
SK 3015	
SK 3020	
SK 4520	

Portal Milling Machines SK Series



Head Office

Intelligent Labs Plus GmbH Riedmattstrasse 10 6030 Ebikon Switzerland

Phone: +41-798995017



www.intelligentlabs.ch www.intelligentlabs.ch

SK Series Structure



Highest performance and productivity


The laminated profiles welded in argon gas offer benchmark for highest rigidity

Improved structure concept for X axis offer large clearance of work table.

Rigid Y-axis concept in whole range of travel

FEM-optimized design & construction

Precision in every component and detail




Highlights

Maximum stiffness with welded laminated profiles

Precision and stability

Optimized for high speed machining



Accuracy of positioning in all axes of 20 µm without linear scales.

Thermal compensation ensures stable, precise and highest quality production process

Gudel made in Swiss transmission - 4 um class of precision with hardened surface

Sophisticated design and large working area - combined in the SK series

Improved ergonomics for easy handling and loading of heavy workpieces

Huge table with 3100 x 1600 mm for cutting of parts up to 1,200 kg

Small foot print 13.2 m2 for SK3015

www.intelligentlabs.ch

SK Series



Technical Area

Work Area

Max. X travels	3,050 mm
Max. Y travels	1600 mm
Max. Z travels	300 mm

Table dimensions


Max. table load	1,200 kg
Lift length	3,100 mm
Table width	1,600 mm

Spindle cutting

Standard HSD ES350	36,000 rpm
Tool type	HSK F50
Drive power rating (100% DC)	8 kW

Rapid traverse

Max. X axis	100 m/min
Max. Y axis	100 m/min
Max. Z axis	30 m/min



SK Series Function




Transmission

Precision in all shapes and sizes

Perfect for high-performance drive units

Quality offered by









SIEMENS



Servomotors

Siemens - made in Germany

High-precision encoder, 28 bits/revolution; 67 million ppr

Max. rotational speed: 6000rpm

Low cogging torque

Vacuum system

Powerful rotary vane vacuum pumps

Computerized control of the vacuum fields

cerlikon leybold vacuum





Quality assured by

hi-class brands ...











Accelerometro

Controllo ridondante









AIF 1001

Assemblaggio Modulare

sensori







Temperatura Cuscinetti

Monitoraggio Temperatura Motore

Encoder

up to 40K rpm

SK Series Order List



Model range

SK 1510

Max. X travels	1,050 mm
Max. Y travels	1,600 mm

SK 1515

Max. X travels	1,600 mm
Max. Y travels	1,600 mm

SK 3015


Max. X travels	3,100 mm
Max. Y travels	1,600 mm

SK 3020

Max. X travels	3,100 mm
Max. Y travels	2,100 mm

SK 4520

Max. X	Ctravels	4,600 mm
Max. Y	travels	2,100 mm



SK Series Controller option





Quality made in Germany

Siemens 840D SL with 19" Touch Panel

Designed to be extremely user-friendly, Siemens 840D SL makes operating CNC machines easy and efficient.

The new panel is flat, features ergonomically positioned keys, completely redesigned hardware and a brand new user interface.

Conversational automatic programming function with process menu

User – friendly operator guidance screen with clear machine status display

- * increase transfer speed up to 120 m/min
- * increase accuracy with nano metric technologies

Notes

